

SHADE FABRIC

collection

LONDON

LIGHT-FILTERING (L/F)
<1% OPENNESS FACTOR


BLACKOUT (B/O)
0% OPENNESS FACTOR

DECORATIVE




• Your Solutions Weaver and Fabric Support Partner

By overlapping warm and cool colored yarns in varying horizontal locations, London becomes a chic fabric reminiscent of natural grasscloth. The texture of London is complex, beautiful, and perfect for modern hospitality installations or residential interiors.




RO LLER
SH AD ES



RO MA N
SH AD ES



PA NE L
TR AC KS




SK YLIGH T
TR AC KS




HAMPTON BEIGE

(L/F) 1103 (B/O) 1903



ABBEY WHITE (L/F) 1101 (B/O) 1901



GRAY CHURCH (L/F) 1108 (B/O) 1908



TOWER TAUPE (L/F) 1104 (B/O) 1904



BLACK RIVER (L/F) 1106 (B/O) 1906



SILVER BRIDGE (L/F) 1107 (B/O) 1907

* (L/F) stands for light-filtering and (B/O) stands for blackout

FABRICATION METHODS

Cutting: Cold Cut, Ultrasonic, Crush Cut or Laser

Seaming / Hemming: Thermal, High-Frequency, Ultrasonic or Sewing.

PRODUCT SPECIFICATIONS

COMPOSITION	100% Polyester
ROLL WIDTH	118"
ROLL LENGTH	33 yd
WEIGHT / YD ²	(L/F) 6.92 oz/yd ² (B/O) 12.52 oz/ yd ²
THICKNESS	(L/F) .020" ± 5% (B/O) .026" ± 5%
COLOR FASTNESS	4.5 (AATCC 16-2003)

CARE AND CLEANING

Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating on the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.

CERTIFICATIONS, TESTS, AND WARRANTY

CALIFORNIA TITLE 19	OEKO-TEX® STANDARD 100	UL GREENGUARD GOLD	ROHS COMPLIANT	5 YEAR WARRANTY	ASTM G-21 & E-2180	NFPA® 701-TM
FLAME RETARDANT	FREE OF HARMFUL CHEMICALS	HEALTHY INDOOR AIR QUALITY	FREE OF HARMFUL METALS	QUALITY GUARANTEED	BACTERIA & FUNGAL RESISTANCE	FIRE RETARDANT