

SHIMMERING

LIGHT-FILTERING (L/F)
<1% OPENNESS FACTOR

BLACKOUT (B/O)
0% OPENNESS FACTOR

DECORATIVE




Your Solutions Weaver and Fabri


t Partner

Chic, bold, and expressive, Shimmering fabrics are meant to stand out and bring distinctive style to interiors of all types. The fabric's lustrous coloring provides a high-end polished shine, and its weave combines natural-looking strands with a meticulous stitching effect to give this material its refined, delicate appearance.









(L/F) 1101 (B/O) 1901 WHITE WHITE GOLD (L/F) 1102 (B/O) 1902 (L/F) 1103 (B/O) 1903 GOLD (L/F) 1104 (B/O) 1904 GRAY

BLACK WHITE (L/F) 1106 (B/O) 1906

* (L/F) stands for light-filtering and (B/O) stands for blackout

FABRICATION METHODS

Cutting: Cold Cut, Ultrasonic, Crush Cut or Laser
Seaming / Hemming: Thermal, High-Frequency, Ultrasonic or Sewing.

PRODUCT SPECIFICATIONS

COMPOSITION 100% Polyester

ROLL WIDTH 118" ROLL LENGTH 33 yd

WEIGHT / YD² (L/F) 4.71 oz/yd^2 (B/O) 10.90 oz/yd^2 THICKNESS (L/F) $.014'' \pm 5\%$ (L/F) $.026'' \pm 5\%$

COLOR FASTNESS 4.5 (AATCC 16-2003)

CARE AND CLEANING

Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating on the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.

CERTIFICATIONS, TESTS, AND WARRANTY



FLAME RETARDANT

OEKO-TEX® STANDARD 100

FREE OF HARMFUL CHEMICALS UL GREENGUARD GOLD

HEALTHY INDOOR AIR QUALITY ROHS COMPLIANT

REE OF HARMFU

5 YEAR WARRANTY

GUARANTEED

ASTM G-21 & E-2180

BACTERIA & FUNGAL RESISTANCE NFPA® 701-TM

