

Midnight is YUMA's first blackout shade fabric made from high-quality fiberglass yarn. Coated fiberglass fabrics are durable with superior heat and reflection properties, withstanding high heat levels and ensuring excellent dimensional stability and performance over time. This characteristic makes Midnight well suited for commercial, industrial, school, and even residential use.





RO LLER SH AD ES




RO MA N SH AD ES




PA NE L TR AC KS



SK YLIGHT TR AC KS






WHITE YM-4201



LINEN YM-4203



DARK GRAY YM-4206



FABRICATION METHODS

Cutting: Cold Cut, Ultrasonic, Crush Cut or Laser Seaming / Hemming: Thermal, High-Frequency, Ultrasonic or Sewing.

PRODUCT SPECIFICATIONS

COMPOSITION 40% Fiberglass + 60% PVC

ROLL WIDTH 78" / 98" / 118"

ROLL LENGTH 32.8 yd WEIGHT / YD 2 14.14 oz/yd 2 THICKNESS .015" \pm 5%

COLOR FASTNESS 6 - 8 Grade (SGS)

BREAKING STRENGTH Warp 3493 N/5cm Weft 3020

N/5cm

CARE AND CLEANING

Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating on the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.

CERTIFICATIONS, TESTS, AND WARRANTY

CALIFORNIA TITLE 19

FLAME RETARDANT

OEKO-TEX® STANDARD 100

FREE OF HARMFUL CHEMICALS UL GREENGUARD GOLD

HEALTHY INDOOR AIR QUALITY ROHS COMPLIANT

FREE OF HARMFUL METALS 10 YEAR WARRANTY

> QUALITY GUARANTEED

ASTM G-21 & E-2180

BACTERIA & FUNGAL RESISTANCE NFPA® 701-TM

FIRE RETARDANT

