

SHADE
FABRIC
collection

SHIMMERING

LIGHT-FILTERING (L/F)
<1% OPENNESS FACTOR

BLACKOUT (B/O)
0% OPENNESS FACTOR

DECORATIVE




Your Solutions Weaver and Fabric Support Partner

Chic, bold, and expressive, Shimmering fabrics are meant to stand out and bring distinctive style to interiors of all types. The fabric's lustrous coloring provides a high-end polished shine, and its weave combines natural-looking strands with a meticulous stitching effect to give this material its refined, delicate appearance.




RO LLER
SH AD ES




RO MA N
SH AD ES



PA NE L
TR AC KS



SK YLIGH T
TR AC KS



SILVER BLACK

(L/F) 1105 (B/O) 1905



WHITE

(L/F) 1101 (B/O) 1901




WHITE GOLD

(L/F) 1102 (B/O) 1902




GOLD

(L/F) 1103 (B/O) 1903



GRAY

(L/F) 1104 (B/O) 1904



BLACK WHITE

(L/F) 1106 (B/O) 1906

* (L/F) stands for light-filtering and (B/O) stands for blackout

FABRICATION METHODS

Cutting: Cold Cut, Ultrasonic, Crush Cut or Laser

Seaming / Hemming: Thermal, High-Frequency, Ultrasonic or Sewing.

PRODUCT SPECIFICATIONS

COMPOSITION	100% Polyester
ROLL WIDTH	118"
ROLL LENGTH	33 yd
WEIGHT / YD ²	(L/F) 4.71 oz/yd ² (B/O) 10.90 oz/yd ²
THICKNESS	(L/F) .014" ± 5% (L/F) .026" ± 5%
COLOR FASTNESS	4.5 (AATCC 16-2003)

CARE AND CLEANING

Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating on the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.

CERTIFICATIONS, TESTS, AND WARRANTY

CALIFORNIA
TITLE 19

FLAME RETARDANT

OEKO-TEX®
STANDARD
100

FREE OF HARMFUL
CHEMICALS

UL
GREENGUARD
GOLD

HEALTHY INDOOR
AIR QUALITY

ROHS
COMPLIANT

FREE OF HARMFUL
METALS

10 YEAR
WARRANTY

QUALITY
GUARANTEED

ASTM
G-21 &
E-2180

BACTERIA &
FUNGAL RESISTANCE

YUMA®

www.yumausa.com