

SUN COOL
FABRICS


LEMNOS

Openness Factor 3%
Screen Fabric
SunCool Collection



Your Solutions Weaver and Fabric Support Partner

Superfine core yarns for a luxurious feel, a silky-clean fabric appearance, and lightweight composition, Lemnos is the stylish fabric choice for spaces that demand nothing less than exquisite. A thin fabric slim on the tube and easy on the motors, Lemnos fabrics offer a harmonious blend of form, function, and beauty at the window.




ROLLER
SHADES




ROMAN
SHADES



PANEL
TRACKS




SKYLIGHT
TRACKS




BLUISH GRAY

SC-S5-308




CLOUD WHITE

SC-S5-301




PORCELAIN COFFEE

SC-S5-303



AMBER GOLD

SC-S5-306



IRON BLACK

SC-S5-309

FABRICATION METHODS

Cutting: Cold Cut, Ultrasonic, Crush Cut or Laser

Seaming / Hemming: Thermal, High-Frequency, Ultrasonic or Sewing.

PRODUCT SPECIFICATIONS

COMPOSITION	22% Polyester + 78% PVC
ROLL WIDTH	118"
ROLL LENGTH	33 yd
WEIGHT / YD ²	11.50 oz/yd ² ± 5%
THICKNESS	.022" ± 5%
COLOR FASTNESS	8 Grade (SGS)
YARN COUNT	60*56
BREAKING STRENGTH	Warp 1217 N/5cm Weft 1290 N/5cm

CARE AND CLEANING

Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating on the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.

CERTIFICATIONS, TESTS, AND WARRANTY

CALIFORNIA
TITLE 19

FLAME RETARDANT

OEKO-TEX®
STANDARD
100

FREE OF HARMFUL
CHEMICALS

UL
GREENGUARD
GOLD

HEALTHY INDOOR
AIR QUALITY

ROHS
COMPLIANT

FREE OF HARMFUL
METALS

10 YEAR
WARRANTY

QUALITY
GUARANTEED

ASTM
G-21 &
E-2180

BACTERIA &
FUNGAL RESISTANCE

NFPA®
701-TM

FIRE RETARDANT